AMENDMENTS TO THE CLAIMS

Listing of Claims:

1

2

3

1

2

2

1

2

3

Pursuant to 37 CFR §121(c), the claim listing, including the text of the claims, will serve to replace all prior versions of the claims in the application.

Please cancel claims 1-6, 12 and 18, as follows:

Claims 1-6. (Cancelled).

- 7. (Previously Presented) A helical implant, comprising a core surrounded by helical threads, and inclined flanks of said threads bearing continuous micro-patterns increasing exposed surface area of said implant.
- 8. (Previously Presented) The helical implant of claim 7, comprised of the micro-patterns having a polygonal cross-section opened at one side thereof.
 - 9. (Previously Presented) A helical implant of claim 7, comprised of the micro-patterns comprising one or more recesses and protrusions.
 - 10. (Previously Presented) The helical implant as set forth in claim 7, comprised of the micro-patterns comprising one or more recesses and protrusions with both the recesses and protrusions having an arcuate cross section of identical curvature and length.

11. (Previously Presented) The helical implant as set forth in claim 7, comprised of the micro-patterns comprising one or more recesses and protrusions with two adjacent recesses being separated by a distance on an order of 150 µm.

Claim 12. (Cancelled).

2

3

ı

2

3

1

2

2

1

2

3

- 13. (Previously Presented) A helical implant, comprising a core surrounded by helical threads bearing inclined flanks incised with continuous micro-patterns increasing exposed surface area of said implant by extending along said flanks and around said core.
- 14. (Previously Presented) The helical implant as set forth in claim 13, comprised of the micro-patterns having a polygonal cross-section opened at one side thereof.
 - 15. (Previously Presented) A helical implant of claim 13, comprised of the micro-patterns comprising one or more recesses and protrusions.
 - 16. (Previously Presented) The helical implant as set forth in claim 13, comprised of the micro-patterns comprising one or more recesses and protrusions with both the recesses and protrusions having an arcuate cross section of identical curvature and length.

- 17. (Previously Presented) The helical implant as set forth in claim 13, comprised of the micro-patterns comprising one or more recesses and protrusions with two adjacent recesses being separated by a distance on an order of 150 μm.
 - Claim 18. (Cancelled).